

# Safety Data Sheet G130 - Xpress Interior Cleaner

Page 1

**Revision Date: 29/6/2020** 

## **Section 1. Product and Company Identification**

Product Identifier G13 - Express Interior Cleaner

Product Use

Description: Mild Detergent solution, Amber clear liquid with fruity odor for use as an interior

cleaner in automobiles

Suppliers' details

CarCareCo Pty Ltd Emergency Number: 131126

1/10 Access Way Customer Service: 1300 323 150

Carrum Downs VIC 3201

#### **Section 2. Hazards Identification**

**GHS Classification** 

**Skin Irritation**: Category 3 **Eve Irritation**: Category 2B

## **GHS Label Elements** Hazard pictograms

**Hazard Statements** 

**Hazard Word** 

Causes mild skin irritation Causes eye irritation

Warning

**Precautionary Statements** 

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

If eye irritation persists, get medical advice/attention IF SKIN IRRITATION OCCURS:

Rinse skin with water/shower

If skin irritation or a rash occurs: Get medical advice/attention



# Safety Data Sheet G130 - Xpress Interior Cleaner

Page 2

**Revision Date: 29/6/2020** 

### 3. Composition Information on Ingredients

CAS Number	Wt %	Component Name
61788-90-7/1643-20-5	2-5%	Amines, Coco Alkyldimethyl, N- Oxides

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

#### 4. First Aid Measures

Eye: Immediately flush with water. If any irritation or discomfort occurs, consult physician

Skin: No first aid should be needed. Thoroughly wash the affected area as a precaution.

Inhalation: Inhalation of any liquid should be considered potentially dangerous, consult a physician.

Oral: No first aid should be needed for oral contact. If product is swallowed, consult physician.

Comments: Treat symptomatically.

### 5. Fire Fighting Measures

#### Extinguishing Media:

On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed containers.

### Fire Fighting Measures:

Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

#### Unusual Fire Hazards:

None.

Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde. Metal oxides.



## Safety Data Sheet G130 - Xpress Interior Cleaner

Page 3

**Revision Date: 29/6/2020** 

### 6. Accidental Release Measures

Determine whether to evacuate or isolate the area according to your local emergency plan. Observe all personal protection equipment recommendations described in Sections 5 and 8. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard. Final cleaning may require use of steam, solvents or detergents. Dispose of saturated absorbent or cleaning materials appropriately since spontaneous heating may occur. Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this MSDS provide information regarding certain federal and state requirements.

## 7. Handling and Storage

Use with adequate ventilation. Avoid eye contact.

Use reasonable care and store away from oxidizing materials.

### 8. Exposure Controls and Personal Protection

61788-90 Amines, Coco Alkyldimethyl, N- Oxides -7/1643-20-5

None Established

**Engineering Controls** 

Local Ventilation: None should be needed. General Ventilation: Recommended.

Personal Protective Equipment for Routine Handling

Eyes: Use proper protection - safety glasses as a minimum. Skin: Washing at mealtime and end of shift is adequate.

Suitable Gloves: No special protection needed.

Inhalation: No respiratory protection should be needed.

Suitable Respirator: None should be needed.

Precautionary Measures: Avoid eye contact. Use reasonable care.

Comments: When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors. Formaldehyde is a potential cancer hazard, a known skin and respiratory sensitizer, and an irritant to the eyes, nose, throat, skin, and digestive system. Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.



# Safety Data Sheet **G130 - Xpress Interior Cleaner**

Page

Revision Date: 29/6/2020

### 9. Physical and Chemical Properties

Flash Point None **Upper Flammability Limit** Not Determined Auto Ignition Not Determined **Lower Flammability Limit** Not Determined

Physical State Liquid Color straw Vapor Press Not Determined

**pH** 8.5 Specific Gravity .99 Viscosity Water thin

Vapor Density (Air=1) Not Determined Melting Point °F 32 Odor Fruity

**VOC Content** 0% Water Solubility soluble

### 10. Stability and Reactivity

Stability Stable Hazardous Polymerization Not Expected to Occur

Conditions to Avoid Oxidizing materials can cause a reaction

When heated to temperatures above 150 degrees C in the presence of air, Hazardous product can form formaldehyde vapors.

**Decomposition Products** 

Safe handling conditions may be maintained by keeping vapor OSHA

Permissible Exposure Limit for formaldehyde.

## 11. Toxicological Information

Acute oral toxicity: Acute toxicity estimation LD50> 100,000 mg/Kg Calculation Method (rat)

### 12. Ecological Information

Toxicity: Acute toxicity estimation EC50> 15,000 mg/Kg (Calculation Method 3.1.3.6.1) 48 hr (fish)

### 13. Disposal Considerations

RCRA Hazard Class (40 CFR 261)

When a decision is made to discard this material, as received, is it classified as a hazardous waste? No State or local laws may impose additional regulatory requirements regarding disposal.

#### 14. Transportation Information

Not subject to DOT. Not regulated

Not subject to IMDG code.

Not subject to IATA regulations

### 15. Regulatory Information

TSCA Status: All chemical substances in this material are included on or exempted from listing on the **TSCA** 

Inventory of Chemical Substances.



## Safety Data Sheet G130 - Xpress Interior Cleaner

00/0/000

5

**Revision Date: 29/6/2020** 

Page

**EPA SARA Title III Chemical Listings** 

Section 302 Extremely Hazardous Substances (40 CFR 355): None. Section 304 CERCLA Hazardous Substances (40 CFR 302): None.

Section 311/312 Hazard Class (40 CFR 370):

Acute: No Chronic: No Fire: No Pressure: No Reactive: No

Section 313 Toxic Chemicals (40 CFR 372): None present or none present in regulated quantities.

### 16. Other Information Revision Date 29/6/2020

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to ensure proper health, safety and other necessary information is included on the container.

### Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH American Conference of Government Industrial Hygienists

LD50 Lethal Dose 50%

AICS Australia, Inventory of Chemical Substances

LOAEL Lowest Observed Adverse Effect Level

DSL Canada, Domestic Sub- stances List

NFPA National Fire Protection Agency

NDSL Canada, Non-Domestic Substances List

NIOSH National Institute for Occupational Safety & Health

CNS Central Nervous System

NTP National Toxicology Program

CAS Chemical Abstract Service

NZIoC New Zealand Inventory of Chemicals

EC50 Effective Concentration

NOAEL No Observable Adverse Effect Level

EC50 Effective Concentration 50%

NOEC No Observed Effect Concentration

EGEST EOSCA Generic Exposure Scenario Tool

OSHA Occupational Safety & Health Administration

EOSCA European Oilfield Specialty Chemicals Association

PEL Permissible Exposure Limit

EINECS European Inventory of Existing Chemical Substances

PICCS Philippines Inventory of Commercial Chemical Substances

MAK Germany Maximum Concentration Values

PRNT Presumed Not Toxic

GHS Globally Harmonized System

RCRA Resource Conservation Recovery Act

>= Greater Than or Equal to STEL

Short-term Exposure Limit IC50

Inhibition Concentration 50%

SARA Superfund Amendments and Reauthorization Act.



Revision Date: 29/6/2020

Page

# Safety Data Sheet G130-Xpress Interior Cleaner

IARC International Agency for Re- search on Cancer

TLV Threshold Limit Value

IECSC Inventory of Existing Chemical Substances in China

TWA Time Weighted Average

ENCS Japan, Inventory of Existing and New Chemical Sub- stances

TSCA Toxic Substance Control Act

KECI Korea, Existing Chemical Inventory

UVCB Unknown or Variable Composition, Complex Reaction Products, and Biological Materials

<= Less Than or Equal To

WHMIS Workplace Hazardous Materials In- formation System

LC50 Lethal Concentration 50%