acc. to 29 CFR 1910.1200 App D

## McKees 37 Krystal Diamond SiO2 Ceramic Wax

Version number: GHS 1.0 Date of compilation: 2019-08-13

## **SECTION 1: Identification**

#### 1.1 Product identifier

Trade name

McKees 37 Krystal Diamond SiO2 Ceramic Wax

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

General use

## 1.3 Details of the supplier of the safety data sheet

Robert McKee Enterprises, Inc 7782 Sw Jack James Drive Stuart, FL 34997 United States

Telephone: 1.844.852.5300 mail:

info@mckees37.com Website: mckees37.com

## 1.4 Emergency telephone number

**Emergency information service** 

USA 1.800.535.5053, INTL 1.352.323.3500 24 hr emergency information

## **SECTION 2: Hazard(s) identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200) This mixture does not meet the criteria for classification.

## 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200) not required

#### 2.3 Other hazards

This material is combustible, but will not ignite readily. Special danger of slipping by leaking/spilling product.

## Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

## 3.1 Substances

Not relevant (mixture)

## 3.2 Mixtures

Description of the mixture

Hazardous ingredients acc. to GHS				
Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes

United States: en Page: 1/10

acc. to 29 CFR 1910.1200 App D

## McKees 37 Krystal Diamond SiO2 Ceramic Wax

Version number: GHS 1.0 Date of compilation: 2019-08-13

distillates (petroleum) hydrotreated, light	CAS No 64742-47-8	20 - < 40	Asp. Tox. 1 / H304 Flam. Liq. 4 / H227	

## Hazardous ingredients acc. to GHS

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
C9-C15 mixed cycloalkanes and alkanes	CAS No 64742-47-8	20 - < 40	Asp. Tox. 1 / H304 Flam. Liq. 4 / H227	

#### Hazardous ingredients

None. This mixture does not meet the criteria for classification.

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret. This mixture contains no GHS classified materials above their cut-off values.

## **SECTION 4: First-aid measures**

#### 4.1 Description of first- aid measures General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air. Following skin

#### contact

Wash with plenty of soap and water.

## Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

## SECTION 5: Fire-fighting measures

## 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media Water

jet

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

United States: en Page: 2 / 10

acc. to 29 CFR 1910.1200 App D

## McKees 37 Krystal Diamond SiO2 Ceramic Wax

Version number: GHS 1.0 Date of compilation: 2019-08-13

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures For non-

emergency personnel Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

  Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.
- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

## Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres Removal of dust deposits.

## 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

This information is not available.

United States: en Page: 3 / 10

acc. to 29 CFR 1910.1200 App D

## McKees 37 Krystal Diamond SiO2 Ceramic Wax

Version number: GHS 1.0 Date of compilation: 2019-08-13

## 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

**Environmental exposure controls** 

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical prope

## **Appearance**

Physical state	solid (wax)
Color	off-white - cream
Odor	like coconut

## Other safety parameters

other surety parameters	
pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	>65 °C at 1 atm
Flash point	67 °C at 101.3 kPa
Evaporation rate	not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Vapor pressure	3.7 kPa at 37.8 °C
Density	0.8094 – 0.8347 <sup>g</sup> /ml
Vapor density	this information is not available

United States: en Page: 4 / 10

acc. to 29 CFR 1910.1200 App D

## McKees 37 Krystal Diamond SiO2 Ceramic Wax

Version number: GHS 1.0 Date of compilation: 2019-08-13

umber. Gris 1.5	Bute of complication. 2013 00 13
Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	
	368 °C (relative self-ignition temperature for solids)
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidizing properties	none
Other information	
Temperature class (USA, acc. to NEC 500)	T3 (maximum permissible surface temperature on the equipment: 200°C)

## SECTION 10: Stability and reactivity

## 10.1 Reactivity

9.2

 $Concerning\ incompatibility: see\ below\ "Conditions\ to\ avoid"\ and\ "Incompatible\ materials".$ 

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

## 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

## Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

## 10.5 Incompatible materials

Oxidizers

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

## Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United States: en Page: 5 / 10

acc. to 29 CFR 1910.1200 App D

## McKees 37 Krystal Diamond SiO2 Ceramic Wax

Version number: GHS 1.0 Date of compilation: 2019-08-13

## Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

## Reproductive toxicity

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

## Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

## 12.2 Persistence and degradability

Data are not available.

## 12.3 Bioaccumulative potential

Data are not available.

## 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Other adverse effects

Endocrine disrupting potential

The mixture contains substance(s) with an endocrine disrupting potential.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

United States: en Page: 6 / 10

acc. to 29 CFR 1910.1200 App D

## McKees 37 Krystal Diamond SiO2 Ceramic Wax

Version number: GHS 1.0 Date of compilation: 2019-08-13

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets. Waste

treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

<b>SECTI</b>	ON 14: Transport information	
14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6	Special precautions for user	
	There is no additional information.	

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

## Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States) Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302,

304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

## Clean Air Act

none of the ingredients are listed

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987 none of the ingredients are listed VOC content

Regulated Volatile Organic Compounds (VOC-EPA): 30 % Regulated Volatile Organic Compounds (VOC-Cal ARB): 36 %

United States: en Page: 7 / 10

acc. to 29 CFR 1910.1200 App D

## McKees 37 Krystal Diamond SiO2 Ceramic Wax

Version number: GHS 1.0 Date of compilation: 2019-08-13

## Industry or sector specific available guidance(s) NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

Chronic: chronic hazard
Flammability: flammability hazard
Health: health hazard

Personal protection: personal protective equipment (PPE) for normal use

Physical hazard: reactivity

## **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

## **National inventories**

Country	Inventory	Status
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
NDSL Non-domestic Substances List (NDSL)

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

United States: en Page: 8 / 10

acc. to 29 CFR 1910.1200 App D

## McKees 37 Krystal Diamond SiO2 Ceramic Wax

Version number: GHS 1.0 Date of compilation: 2019-08-13

## SECTION 16: Other information, including date of preparation or last revision

## Abbreviations and acronyms

Appleviations an	d delonyms
Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR § 40 U.S. Department of Transportation
Asp. Tox.	Aspiration hazard
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H227	Combustible liquid.
H304	May be fatal if swallowed and enters airways.

United States: en Page: 9 / 10

acc. to 29 CFR 1910.1200 App D

## McKees 37 Krystal Diamond SiO2 Ceramic Wax

Version number: GHS 1.0 Date of compilation: 2019-08-13

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 10 / 10